

To: Atencio, Kathie[Atencio.Kathie@epa.gov]
Cc: McKean, Deborah[mckean.deborah@epa.gov]
From: OBrien, Wendy
Sent: Mon 8/17/2015 2:32:14 PM
Subject: RE: Validated Data Delivery 08162015

Thanks Kathie. I'm looking at it right now. I'll let you know if I find any exceedances of our screening values, MCLs, etc.

Wendy O'Brien, DVM, PhD, DABT

Toxicologist, Ecosystems Protection and Remediation

USEPA Region 8

1595 Wynkoop Street

Denver, CO 80202

Phone: 303.312.6712

FAX: 303.312.7151

From: Atencio, Kathie
Sent: Monday, August 17, 2015 8:30 AM
To: OBrien, Wendy
Cc: McKean, Deborah
Subject: FW: Validated Data Delivery 08162015

Hey Wendy,

This is information that was reviewed for data that has been validated, but just not posted to the EPA website. We are no longer doing messaging for the data, so you don't have to review the surface water for that purpose and we are not posting potable data to the website. However, since the data is for Region 8 and is useful to all of you, I'm forwarding it for your review as toxicologist.

Kathie

From: Latham (Polinko), Janine [<mailto:Janine.Latham@WestonSolutions.com>]
Sent: Sunday, August 16, 2015 10:49 PM
To: McKean, Deborah; Burgo, Daniel; Wall, Dan; Atencio, Kathie
Cc: John.Lucotch@WestonSolutions.com; Adamczyk, Megan;
Brad.Morgan@WestonSolutions.com; Schaefer, Joe; Delgado, Eric
Subject: Validated Data Delivery 08162015

Attached you can find the new validated data for Region 8 for 8.16.2015 separated by Matrix.

1. R8_Potable Water Summary Table 08-16-15
2. R8_Surface Water Summary Table 08-16-15

Thanks.

Janine Polinko Latham

Technical Manager



CBI/Ex. 4

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited.

If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.